

Kettős csuklós dugókulcs, 12 szögű

202/1



Használat









Termékjellemzők

- anyaga: Premium króm-vanádium acél
- felületkezelés: krómozott, ISO 1456:2009 szabvány szerint
- kovácsolt, teljes anyagában nemesített


Profilok



		L	D1	D2	
609132	8 x 9	198	12	13	96
609133	8 x 10	200.5	12	14.6	82
609134	10 x 11	214	14.6	16	95
609135	12 x 13	227	17	18	148
609136	13 x 17	242	18	23	213


		L	D1	D2	
609137	14 x 15	241	19.5	20.5	211
609138	16 x 17	255	22	24	295
609139	18 x 19	273	24.5	26	391
609141	20 x 22	295	27.5	30	518
609144	30 x 32	363	40	42	1062

1









Kiskereskedelmi csomagolás

	MA	MB	MC	
609132	250	44	14,5	103
609133	250	44	16,1	89
609134	260	44	17,5	102
609135	280	44	19,5	155
609136	290	44	25,2	220
609137	290	44	23,3	218
609138	310	44	25,5	302
609139	330	58	28,5	404
609141	350	58	31,5	531
609144	420	58	43,5	1075



Szállítási csomagolás

		TA	TB	TC	
609132	4	57	237	33	487
609133	4	57	237	33	431

		TA	TB	TC	
609134	4	65	288	55	483
609135	4	65	288	55	695
609136	4	65	288	55	955
609137	4	65	288	55	947
609138	4	75	308	60	1283
609139	4	84	318	63	1691
609141	4	85	337	68	2199
609144	4	119	404	65	4375