

Kovácsolt csőkulcs

216/1







Profilok



Termékjellemzők

- anyaga: Premium króm-vanádium acél
- teljes anyagában nemesített
- felületkezelés: krómozott, ISO 1456:2009 szabvány szerint
- polírozott fejjel
- DIN 896 szabvány szerint (metrikus méretek)



		L	D1	D2	T1	T2	Diameter	
615229	6 x 7	105	10	11	5	6	4	39
615230	8 x 9	110	12.5	13.5	6	7	5	54
615231	10 x 11	120	15	16	7.5	8	7	66
615232	12 x 13	140	17.5	19	8	9.5	8	128
615233	14 x 15	145	20	21.5	10	11	8	144
615234	16 x 17	155	22.5	24	11	12	10	195
615235	18 x 19	165	25.5	26	13	15	12	275
615236	20 x 22	175	28	30	15	16	14	289



L

D1

D2

T1

T2

Diameter



615237

21 x 23

185

29

31

16

17


14

366






Kiskereskedelmi csomagolás

	MA	MB	MC	
615229	150	44	12,7	46
615230	160	44	15	61
615231	170	44	17,7	73
615232	200	44	20,81	135
615233	200	44	23	151
615234	200	44	25,2	202
615235	210	44	27,8	282
615236	230	58	32	302
615237	240	58	32,5	379
617640	240	58	34,3	373
615241	335	80	39,6	579
617641	335	80	42,3	624



Szállítási csomagolás

		TA	TB	TC	
615229	4	62	192	33	259
615230	4	62	192	33	319
615231	4	65	211	38	367
615232	4	74	190	45	615

		TA	TB	TC	
615233	4	74	190	45	679
615234	4	81	205	58	883
615235	4	81	205	58	1203
615236	4	113	242	77	1283
615237	4	113	242	77	1591
617640	4	209	225	44	1567
615241	1				
617641	1				

Pótalkatrészek

————— Hajtórúd 216 kovácsolt csőkulcshoz