

# Biztonsági Torx (TR) hajlítottkulcs

220/7TX




## Használat



## Termékjellemzők

- anyaga: Premium króm-vanádium acél
- teljes anyagában nemesített
- felületkezelés: feketített, DIN 50938 szabvány szerint

## Profilok



616296



TR 9

L1




59


L2

19






4

		L1	L2	
609173	TR 10	65	20	5
609174	TR 15	75.5	20.5	6
609175	TR 20	87	22	10
609176	TR 25	97.5	22.5	16
609177	TR 27	105.5	25.5	18
609178	TR 30	111	30	26
609179	TR 40	119	33	36









### Kiskereskedelmi csomagolás

	MA	MB	MC	
616296	130	44	8,2	14
609173	135	44	8,2	14
609174	145	44	8,2	17
609175	155	44	8,2	20
609176	160	44	20	23
609177	170	44	20	30
609178	180	44	20	37
609179	190	44	20	50



### Szállítási csomagolás

		TA	TB	TC	
616296	4	62	192	33	181
609173	4	62	192	33	181

		TA	TB	TC	
609174	4	62	192	33	193
609175	4	62	192	33	205
609176	4	71	243	42	217
609177	4	71	243	42	245
609178	4	71	243	42	273
609179	4	71	243	42	325